

महानिदेशालय, भा.ति.सी.पु. बल/Directorate General, ITBP Force
(संभरण निदेशालय-सीटीएस डेस्क/Provisioning Dte-CTS Desk)
गृह मंत्रालय-भारत सरकार/MHA-Government of India
खण्ड-2, के. स. का. परिसर/Block-2, CGO Complex
लोधी रोड, नई दिल्ली/Lodhi Road, New Delhi-03
(Fax 011-24364267, Email-digprov@itbp.gov.in)

No. IV-17012/03/2021/Prov(CTS)-

292

Dated, 10 September 21

To

Mrs. Sugandhi
Technical Director, NIC
North Block, New Delhi.
E-mail : mpsugandhi@nic.in

Sub: Framing of QRs/Specifications of Anti Riot Telescopic Baton.

Kindly refer to MHA letter No IV-24011/12/2011-Prov-I dated 22.10.14 on the subject cited above.

2. ITBP is in process to finalize the draft QRs/TDs of Anti Riot Telescopic Baton prepared by the Board of Officers of ITBP. Hence the Expression of Interest along with the draft QRs/TDs of above item is attached herewith for hosting the same in the MHA website for seeking suggestion of vendors/ firms by 27.09.2021 on e-mail ID: digeftrprov@itbp.gov.in

3. In this connection, it is also requested that after needful the same may please be intimated on e-mail ID: digeftrprov@itbp.gov.in


Encl: a.a



उप महानिरीक्षक (संभरण)/DIG (Prov)
महानिदेशालय, भातिसीपु बल/Dte Gen, ITBPF

Copy to:-

1. The U.S. (Prov), MHA, Jaisalmer House, New Delhi for information please.
2. The S.O.(IT), North Block on his email address soit@nic.in.
3. The Commandant, IT Cell, Dte Gen ITB Police- Alongwith QRs/TDs for uploading on ITBP Website also.
4. DIG(Prov), Eastern Frt., ITB Police, Kendriya Bhaban, Hall No. 1/3/4, Six Flour, Sector-H, Aliganj, (LKO)-226024 :- The proceedings in all respects as per the procedure/guidelines issued by MHA for preparing of QRs/ TDs may also be complied and submitted to this office at the earliest please.




उप महानिरीक्षक (संभरण)/DIG (Prov)
महानिदेशालय, भातिसीपु बल/Dte Gen, ITBPF

EXPRESSION OF INTEREST

Sub:- **Framing of QRs/Specifications of Anti Riot Telescopic Boton.**

This is for general information of the firms/manufacture of Anti Riot Telescopic Boton that under mentioned QRs/TDs have been framed by Board of Officers as enclosed with board proceedings. All the interested vendors/ firms are requested to go through the same and give their suggestions, if any, by 27.09.2021 on e-mail ID: digeftprov@itbp.gov.in

2. A hard copy of suggestions may also be sent to the Dy. Inspector General (Prov), Eastern Frontier, Kendriya Bhawan, Hall No. 1/3/4, Six Floor, Sector-H, Aliganj, LKO-226024 (Fax No. 0522-2745886).



उप महानिरीक्षक (संभरण)/DIG (Prov)

BOARD PROCEEDING

Proceeding of : Board of officers
 Assembled at : Hqr. Eastern Ftr, ITB Police, Lucknow (UP)
 Assembled on : 29th July to 5th August 2021
 By the order of : Eastern Frontier Order no. IV-17019/03/Prov-1/Spl
 Eqpt/2020-9060-66 dated 28-07-2021 and order no.
 9087-90 dated 30-07-2021
 For the purpose of : Formulation of QRs/Specification of Anti Riot
 Telescopic Baton.

Composition of the Board:-


Presiding Officer : Shri Bhanwar Singh, DIG (Prov), Eastern Ftr, ITBP
 Member-I : Shri Anil Singh Bisht, Commandant, 32nd Bn
 Member-II : Shri Parveen Singh, DC, 46th Bn.
 Member-III : Shri Nand Lal Yadav, AC, 32nd Bn
 Co-opted member : Inspector(CM) Ramveer Singh, Hq E. Ftr.


2. In compliance of Directorate General order no. DIG (Prov), Dte Gen Letter No-IV-17012/ 03/2021-Prov (CTS)-1803 dtd 23.07.2021 & mail. no. 5765 dated 23-07-2021 regarding formulation of QRs/Specification of Anti Riot Telescopic Baton. The board of officer assembled at Frontier head quarter, ITB Police Lucknow (UP) w.e.f. 29-07-2021 to 05-08- 2021. Board of officer conducted market survey to ascertain the quality and specifications to identify the appropriate suppliers, but no any local firm and supplier have been found. The board also carried out detail online survey on purchasing portals as well as global portals. On scrutiny of Indian portal/vender, it is revealed that some firm/vender are available to supply equipment. In this regard details of item is appended at **appendix-A & A-1**. The global firm/vendors are in position to make and supply of equipment for which a comparative statement is hereby enclosed at **appendix-B** for ready reference.

3. Keeping in view of QRs/specification published by global vendors on internet and also available on MHA Website, a fresh comparative QRs/specification in respect of Anti Riot Telescopic Baton have been prepared and same attached at **Appendix-C**


4. It is certified that the QRs/Specification of Anti Riot Telescopic Baton are generic in nature.


5. The board proceeding along with Final QRs/Specifications prepared by the board submitted for necessary action at your end please.


Ramveer Singh
Insp(CM)
Co-opted member


Nand Lal Yadav
AC/GD
Member-III


Parveen Singh
DC/GD
Member-II


Anil Singh Bisht
Commandant
Member-I


Bhanwar Singh
DIG(Prov)
Presiding Officer

Appendix-A


DETAILS OF SITES SEARCH FOR ANTI RIOT TELESCOPIC BATON IN INDIA


Sl. No.	Name of Sites/Portal	Name of item search	Result of search shown on sites/portal	Availability of item
1.	GeM (Cat-I)	Anti Riot Telescopic baton	Poly carbonate shield	Not available
2.	GeM (Cat-II)	-do-	Full body protector for male	Not available
3.	INDIAMART	-do-	Expandable baton	Not available
4.	AMAZON	-do-	Hiking Baton 26"	Not available
5.	INDIAMART	-do-	Poly carbonate AR shield	Not available
6.	INDIAMART	-do-	Anti Riot Baton Stick	Not available
7.	FLIPCART	-do-	No result found	Not available

Appendix-A-1


DETAILS OF SEARCH MADE ON INTERNET FOR INDIAN FIRM/VENDER FOR BATON


Sl. No.	Name of firm/sites & origin	Product name	Colour	Size	Material	Weight
1.	BUYHATKE!	Stop shoppers 65 cm expandable Iron Baton	Black	Length 65 cm	Iron	525gm
2.	SNAPDEAL (Kalopsia Industries)	Tactical Telescopic baton stainless steel self defence security folding stick	Others	21/26" inch	Stainless Steel	-
3.	INDIAMART (Surya Sales Corporation, Dwarka Delhi)	Black metal expandable baton rod, stick	Black	-	Heavy steel	-
4.	TRADE INDIA (Hind Industries Kanpur UP)	ESP hardened Telescopic baton	Black nickel zinc	Collapsed 8.3" Expanded 21"	-	Wt without holster 440 gm
5.	BOOM INDIA	Expandable Baton	-	Collapsed 24" Expanded 26"	Strong steel	-
6.	Bulletproofindia.com (Mumbai)	Fox Telescopic steel Baton	Silver metal	Open-660mm (26") Close-240 mm (9.5")	Steel	540gm


 Ramveer Singh
 Insp(CM)
 Co-opted member


 Nand Lal Kadyan
 AC/GD
 Member-III


 Parveen Singh
 DC/GD
 Member-II


 Anil Singh Bisht
 Commandant
 Member-I


 Bhanwar Singh
 DIG(Prov)
 Presiding Officer

Appendix-B

Details of search made on Global Sites on internet for Anti Riot Telescopic Baton

Sl. No.	Name of firm/sites & origin	QRs/Specification						
		MODEL NO.	PRODUCT NAME	COLOUR	SIZE	DIAMETER	MATERIAL	WEIGHT
1.	Karate Mart.com (USA)	-	Telescoping Steel Baton	-	21" to 32" Collapsed size 8.5"	-	Steel	453gm (1 pound)
2.	LEVINSONS (USA)	-	ASP Friction-lock batons 26 inch black chrome W/foam grip	Black	26"	-	Steel	-
3.	SECURITY DISCOUNT (GERMANY)	-	Telescopic Baton 26" silver, incl. holster.	Silver	26" Open Length-66 cm Closed Length-25cm	-	Steel	558 gm
4.	CHOWEY (China)	BT26B126	Anti Riot Telescopic expandable baton with welding ring black	Black	26", closed position is 250mm, opened position is 630 mm	Handle-29mm Middle tube-17mm Small tube-10 mm	Steel Alloy	630 gm
5.	JIANGSU ECVV (China)	-	Expandable Baton/ Telescopic baton	Black grip, true colour of metal	Smallest length-200 mm (\pm 5mm) Extended length \geq 530 mm	Diameter Grip-28 mm (\pm 1mm) Diameter mid tube-16 mm (\pm 0.5mm) Diameter- front tube-11 mm (\pm 0.5mm)	Steel	\leq 350 gm
6.	SENKEN GROUP (China)	G-SX-02	Police Baton Anti Riot Telescopic expandable Baton for Self Defence	Black grip Colour of metal	660mm Contraction 200 mm (\pm 2%) Extended state 525 mm (\pm 2%)	22 mm	Stainless steel	460gm (\pm 5%)
7.	GLOBAL SOURCES (China)	SGC-001	Anti riot telescopic baton expandable baton for self defense	Black grip Metal of silver white	Packaging size 5x8x28 cm Contracted state-3x22.5 cm Stretched state- 3x51cm Extendable length-400,515 and	-	Aluminium + alloy	Baton- 0.33kg, 503,572 & 672 gm

[Signature]
Co-opted Member


[Signature]
M-10


[Signature]
M-II 5187


[Signature]
M-I 51014

[Signature]
518


					645mm Contraction length-170,205 and 245 mm			
8.	SARKAR TACTICAL (China)	-	Expandable Baton	Black	Folded length-180-220 mm Expanded length-530mm	Handle -22-30 mm	Permanent and fracture resistance	Not more than 600 gm
9.	DEKKADE (China)	ExB-16N- black	Expandable baton 16" Standard re-inforced steel	Black & Chrome	16" Closed length 6.7"/170mm Expanded length-16"/405mm	-	Steel re- inforced	340gm wt without holder
10.	JIANGSU TIANWANG SOLAR TECH. CO. LTD. (China)	TW-G09	Hot sale Anti Riot Steel extendable/ Telescopic security Baton.	Silver metal	Length of stretching-64 cm Length of contraction-24cm	2.7 cm	Steel	500gm Gross Weight- 620 gm
11.	ALIBABA (China)	RB-T60	Military police baton spontoon plastic baton T-baton	-	-	3.0 cm	Rubber	865gm
12.	BRIDAY (China)	-	High quality metal steel expandable batons telescopic nightstick black	Black/Gold/Sil ver	26 inch Stretch size-26" Medium size-21" Smallest size-17"	-	Steel	-
13.	YUANFAR INTERNATIO NAL (CHINA)	YF-SP-06	Alloy steel police truncheon Telescopic Baton Anti-Riot control Knot short Stick	Black	Recovery length 224 mm (+ 1.5mm) Extension length-508mm (+ 1.5mm)	Main pipe-26.5 (+ 0.15mm) Middle tube-20.5mm (+ 0.1mm) Front tube-16.0mm (+ 0.1mm)	Alloy steel	350 gm


(Ramveer Singh)
Inspector(CM), E.Ftr
Co-opted Member


(Nand Lal Yadav)
AC/GD, 32nd Bn
Member-III



(Parveen Singh)
DC/GD, 46th Bn
Member-II



(Anil Singh Bisht)
Commandant, 32nd Bn
Member-I



(Bhanwar Singh)
DIG(Prov), E. Ftr
Presiding Officer


Appendix-"C"**QUALITATIVE REQUIREMENTS FOR ANTI RIOT
TELESCOPIC BATON**


1. It should be compact & slim
2. Dimension:- (i) Length-Closed position-250 mm(+ or- 10%),
Opened Position-630mm (+ or- 10%)
(ii) Diameter- Handle-29 mm, Middle tube-17mm,
Small Tube-10mm
3. Should be light, maximum weight not to exceed 600gm (+ or- 10%)
4. It must have a safety locking mechanism to keep extended/retracted baton in place.
5. It must have a good quality rubber grip on handle and a wrist strap.
6. The body must be made of non corrosive metal alloy.
7. It should be non reflective and rust resistant.
8. It must be provided with a good quality holster with straps for carriage.
9. Minimum one piece is required for technical evaluation.


Ramveer Singh
Insp(CM)
Co-opted member


Nand Lal Yadav
AC/GD
Member-III


Parveen Singh
AC/GD
Member-II


Anil Singh Bisht
Commandant
Member-I


Bhanwar Singh
DIG(Prov)
Presiding Officer